



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/698,234	10/30/2000	Otto Preiss	004501-446	6329
21839 7	7590 07/13/2004		EXAMINER	
BURNS DOANE SWECKER & MATHIS L L P			BARNES, CRYSTAL J	
POST OFFICE ALEXANDRI	E BOX 1404 A, VA 22313-1404		ART UNIT	PAPER NUMBER
	,		2121	
			DATE MAILED: 07/13/2004	4

Please find below and/or attached an Office communication concerning this application or proceeding.

Advisory Action

Application No.	Applicant(s)	
09/698,234	PREISS ET AL.	
Examiner	Art Unit	
Crystal J. Barnes	2121	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 21 May 2004 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

U.S. Patent and Trademark Office PTOL-303 (Rev. 11-03) Group 3600

Continuation Sheet (PTOL-303) 009/698,234

Continuation of 5. does NOT place the application in condition for allowance because: applicants' arguments (see pages 6-7) regarding USPN 6,618,745 B2 to Christensen et al. are not persuasive. The Christensen et al. reference does teach or suggest integration of a field device (see columns 14-15 lines 58-28) and installation of functions associated with a field device (see column 10 lines 40-52). The Christensen et al. reference also teaches or suggests configuring communication links between field device functions and functions of a control station (see columns 10-11 lines 64-8).

BEST AVAILABLE COPY